XP5001
Product Specification Sheet
Recharge

Product Design Renderings:

PowerSkin Logo

Material: Silk Screen

LED Lights

Color: (4) Blue

Micro USB Input

Connector: Female

Battery Housing

Material: Opaque PC Plastic
Finish: Matte Soft Touch

USB Output

Connector: Female, Type A

USB Input

Connector: Male

Micro USB Output

Connector: Male

Color and Finish

Item No.	Color Theme	Housing Color and Finish	Logo Color	Built-In USB Cable
1	Titanium	Pantone 18-0306TCS Soft Touch	Cool Grey 6C	Black
2	Ice Silver	Pantone 877C Soft Touch	Cool Grey 11C	Pantone 8403C
3	Plum	Pantone 8800C Soft Touch	Pantone 520C	Black
4	Midnight Blue	Pantone 8483C Soft Touch	Pantone 7685 C	Black

Technical Specifications:

Part Number	XP5001
Product Color	Titanium, Ice Silver, Plum, Midnight Blue
Product Dimension L x W x H	125.6 x 61.3 x 15.5 mm
Weight	136.07 grams
Compatible Device	Mobile Phones, Tablets
Power Capacity	5000mAh
Input Spec	1 Micro USB port: 5V, 1A 8-10 Hrs to fully charge XP5001
Output Spec	5V/2.1A 2 USB output ports 1 micro USB (Built-In)
Features	Power up to 2 devices at same time LED power indicator Built in short circuit, overcharge, over-temperature protection Auto Full power off function Built in micro USB output cable and USB input charging cable
USB Capabilities	Charge only; no sync
Talk Time	Up to 25 hours on 3G for a standard mobile phone*
Standby Time	Up to 625 hours for a standard mobile phone*
Extra Internet Time	Up to 25 hours on LTE and on Wi-Fi for a standard mobile phone*
Extra Music Time	Up to 120 hours audio playback for a standard mobile phone*
Extra Video Time	Up to 25 hours for a standard mobile phone*
Talk Time Legal	Additional hours are subject to device, network and usage

***These hours were calculated based on a 1440mAh battery and iPhone 5s specs**

Operational Specifications:

LED Denotation:



LED Indicator	From Right to Left (blue LED) 1 LED lit: <25% charge 2 LED lit: <50% charge 3 LED lit: <75% charge 4 LED lit: <99% charge One click. Solid display of LED lights to indicate battery level. Automatic shut off of LEDs after 7-8 seconds Ex. If Recharge has a current charge of 30% and is charging, LED indicator will display one solid LED on #1 and one blinking LED on #2
Power Off (With and Without Device)	Press and hold for 2 seconds. With device connected, power discharge will stop and LED lights will turn off. Without device connected, no power discharge occurs.
Power ON (With and without device connected)	One Press. With device connected, button press will initiate power discharge from Recharge to device and estimated charge left via LED indicator. LED indicator will continue to display estimated charge left during power discharge. Without device connected, button press will display estimated charge left via LED indicator.
Charging XP5001	LED lights illuminate from right to left until fully charged. If not fully charged, LED will display estimated charge and a blinking LED for the next estimated charge interval All LED lights will stay on when Recharge is fully charged. Recharge cannot be turned off while being charged even if power button is pressed.

Package Specification:

Item	QTY	Details	Photo
Clear Plastic Box L x W x H	1	4.3 x 1.1 x 6.9 inches 11 x 2.9 x 20 cm (Euro Ear 26)	
Inner Tray	1	Clear PET	
UPC Sticker	4	UPC Number, UPC Barcode	
XP5001	1	XP5001	
USB Charging Cable	1	USB to Micro USB Length: 26 inches	
User Manual	1	Full Color Manual Double Side Printing, Folded	

Volumetric Specification:

UPC Code

	Titanium	Ice Silver	Plum	Midnight Blue
Retail Box	00819252011012	00819252011326	00819252011319	00819252011333
Inner Carton	10819252011019	10819252011323	10819252011316	10819252011330
Master Carton	20819252011016	20819252011320	20819252011313	20819252011337

	Quantity	Dimensions (L x W x H)	Gross Weight
Retail Box	1	4.3 x 1.1 x 6.9 inches 11 x 2.7 x 17.5 cm	0.29lbs 0.133Kg
Inner Carton	6	8.1 x 4.7 x 6.9 inches 20.5 x 12 x 17.5 cm	1.76lbs 0.80Kg
Master Carton UPC	18	8.6 x 15 x 7.5 inches 21.8 x 38 x 19 cm	5.31lbs 2.41Kg